

BAC RESOLUTION DECLARING LOWEST AND RESPONSIVE QUOTATION AND RECOMMENDING APPROVAL

BAC RESOLUTION NO. SVP-052-2025

ONE (1) LOT SUPPLY OF LABOR, MATERIALS FOR THE MAINTENANCE OF ESD FIELD OFFICE POWERHOUSE COMPOUND, PORT AREA, ZAMBOANGA CITY (ZAM-330C-2025) WITH AN ABC OF ₱80,593.00

WHEREAS, the Philippine Ports Authority (PPA), Port Management Office (PMO)-Zamboanga, through its Bids and Awards Committee (BAC) and in accordance with the Revised Implementing Rules and Regulation (IRR) of Republic Act (RA) 9184 posted and advertised the Request for Quotation (RFQ) for the project: **ONE (1) LOT SUPPLY OF LABOR, MATERIALS FOR THE MAINTENANCE OF ESD FIELD OFFICE POWERHOUSE COMPOUND, PORT AREA, ZAMBOANGA CITY (ZAM-330C-2025)** with an Approved Budget for the Contract (ABC) in the amount of Eighty Thousand Five Hundred Ninety Three Pesos and /00 only (**₱80,593.00**) on October 27, 2025 to November 4, 2025 in the PPA Procurement Webpage, Philippine Government Electronic Procurement System (PhilGEPS), PPA PMO-Zamboanga's Bulletin Board;

WHEREAS, the method of procurement is through Negotiated Procurement-Small Value Procurement (Sec. 53.9) and the amount does not exceed the amount threshold prescribed in Annex H of the Revised IRR of RA 9184;

WHEREAS, the BAC sent RFQs to the three (3) suppliers, namely: **AI J Marie Marketing** on November 3, 2025, **Homestyle Depot** on November 3, 2025 and **Nationwide Sales Corporation** on November 3, 2025;

WHEREAS, in response to the advertisement the BAC Secretariat received a sealed envelope from **AI J Marie Marketing** before the published deadline of submission on November 4, 2025 at 9:03 AM.

WHEREAS, during the conduct of opening of price quotation on November 4, 2025, the BAC opened, announced the quoted amount and checked each item of the eligibility documents against a checklist using a non-discretionary "pass/fail" criterion pursuant to Annex H, Section F of the Revised IRR of RA 9184. The result was:

No.	Name of Supplier/Contractor	Financial Quotation (As read)	Eligibility Requirements	Remarks
	AI J Marie Marketing	₱75,526.00	insufficient	Subject to Bid Evaluation

WHEREAS, during the conduct of Bid Evaluation on November 5, 2025, the BAC Technical Working Group (TWG) found no arithmetical corrections on the prices quoted in the prescribed canvass form. The result was:

No.	Name of Supplier/Contractor	Financial Quotation	Variance	Eligibility Requirements	Remark
1.	AI J Marie Marketing	₱75,526.00 (As Read) ₱75,526.00 (As Calculated)	0	Sufficient	Single Calculated Price Quotation

WHEREAS, during the post-qualification on November 6, 2025, the BAC TWG has presented the validation result of the submitted document. The results was:

No.	Name of Supplier	Quoted Amount (Presented)	Eligibility Requirements	Findings
1.	AI J Marie Marketing	₱75,526.00	Sufficient	Single Calculated and Responsive Price Quotation

WHEREAS, the BAC declared the price quotation of **AI J Marie Marketing** upon the recommendation of the TWG as **Single Calculated and Responsive Quotation** in the amount of **₱75,526.00** less than the ABC of **₱80,593.00**.

NOW THEREFORE, We, the Members of the PMO Zamboanga Bids and Awards Committee, hereby RESOLVE as it is hereby RESOLVED:


To declare **AI J Marie Marketing** upon the recommendation of the TWG as **Single Calculated and Responsive Quotation** in the amount of **₱75,526.00** for the procurement of **ONE (1) LOT SUPPLY OF LABOR, MATERIALS FOR THE MAINTENANCE OF ESD FIELD OFFICE POWERHOUSE COMPOUND, PORT AREA, ZAMBOANGA CITY (ZAM-330C-2025) WITH AN ABC OF ₱80,593.00**.

To recommend for approval of the Port Manager of PPA, PMO-Zamboanga, Zamboanga City the foregoing findings.

ADOPTED this 6th day of November 2025 at the PPA, PMO-Zamboanga, Zamboanga City.


JEZREL J. GESULGON
BAC Chairperson

(On Official Business)
DATU ALFAZAR B. ANDAS
BAC Vice-Chairperson

(Via Online) 
ENGR. TASHMA H. ASID-MAADIL
BAC Member

(Via Online) 
ENGR. AISHAR M. HADJIRUL
BAC Member


MARK S. REVILLAS
BAC Provisional Member

Approved by:


ARCIDI S. JUMAANI
Port Manager

Date approved: _____