



**BAC RESOLUTION DECLARING SINGLE LOWEST AND RESPONSIVE
QUOTATION AND RECOMMENDING APPROVAL**

BAC RESOLUTION NO. SVP 02-2023

**ONE (1) LOT SUPPLY OF MANPOWER TOOLS/EQUIPMENT FOR THE
SIPHONING/DESLUDGING AND DISPOSAL OF 12 UNITS SEPTIC TANK/VAULT
WITH AN ABC OF PHP964,815.16**

WHEREAS, the Philippine Ports Authority, PMO Zamboanga, through its Bids and Awards Committee (BAC) and in accordance with the Revised IRR of RA 9184 posted and advertised the Invitation to Bid including the Bidding Documents for the One (1) Lot Supply of Manpower Tools/Equipment for the Siphoning/Desludging and Disposal of 12 Units Septic Tank/Vault with an ABC of Php964,815.16, on December 29, 2022 to January 4, 2023 in the PPA Procurement Webpage, Philippine Government Electronic Procurement System (PhilGEPS), PMO Bulletin Boards.

WHEREAS, the BAC opened the sealed price quotation of supplier on January 5, 2023, at 10:00AM. The results were as follows:

No.	Name of Supplier	Quoted Amount (As read)	Remarks
1	Christine Haresco Wastewater Treatment Services	Php956,250.00	Single Lowest Price Quotation

WHEREAS, on the validation of the documents on January 6, 2023, the result are as follows:

No.	Name of Supplier	Quoted Amount (Calculated)	Remark
1	Christine Haresco Wastewater Treatment Services	Php956,875.00	Single Lowest Calculated Price Quotation

WHEREAS, the BAC declared Christine Haresco Wastewater Treatment Services as the bidder with the Single Lowest Calculated and Responsive Price Quotation in the amount of Php956,875.00 below the ABC of Php964,815.16;

NOW THEREFORE, We, the Members of the PMO-Zamboanga Bids and Awards Committee, hereby RESOLVE as it is hereby RESOLVED:

To declare Christine Haresco Wastewater Treatment Services as the Single Lowest Calculated and Responsive Quotation in the amount of Php956,875.00 for the procurement of **ONE (1) LOT SUPPLY OF MANPOWER**



TOOLS/EQUIPMENT FOR THE SIPHONING/DESLUDGING AND DISPOSAL OF 12 UNITS SEPTIC TANK/VAULT WITH AN ABC OF PHP964,815.16.

To recommend for approval by the Port Manager of the PPA, PMO-Zamboanga, Zamboanga City the foregoing findings.


ADOPTED this 9th day of January 2023 at the PPA, PMO-Zamboanga, Zamboanga City.



ARTHUR B. NOGAS
BAC Chairperson



ENGR. TASHMA H. ASID-MAADIL
BAC Vice-Chairperson



FRANCISCA CLARISSA P. DAGOY
BAC Member



JEZREL J. GESULGON
BAC Member
Services



ENGR. AISHAR Y. HADJIRUL
BAC Provisional Member-Good &

Approved by:



ARCIDI S. JUMAANI
Port Manager

Date approved: _____



BAC RESOLUTION ON THE ERROR AT THE PHILGEPS POSTING FOR THE PROCUREMENT OF ONE (1) LOT SUPPLY OF MANPOWER TOOLS/EQUIPMENT FOR THE SIPHONING/DESLUDGING AND DISPOSAL OF 12 UNITS SEPTIC TANK/VAULT WITH AN ABC OF PHP964,815.16 WITH REFERENCE NO. 9360597

BAC RESOLUTION NO. SVP-02A-2023

WHEREAS, the Philippine Ports Authority, PMO Zamboanga, through its Bids and Awards Committee (BAC) Secretariat is responsible for uploading and posting of updates at the Philippine Government Electronic Procurement System (PHILGEPS) the following document for small value, shopping and public bidding projects:

- a) RFQ/Invitation to Bid
- b) Notice of Award
- c) BAC Resolution
- d) Notice to Proceed
- e) Contract

WHEREAS, the BAC Secretariat committed the following errors, to wit:

1. On December 28, 2022, at 10:30AM, the BAC Secretariat updated electronically the Bid Notice Abstract with reference no. 9360597 committed a typographical error on the remarks wherein it states: Extension of deadline of submission of quotation from December 29, 2022, to January 03, 2023. The correct entry of the remarks should state: **Extension of deadline of submission of quotation from December 29, 2022 to January 04, 2023;**
2. On January 28, 2023, at 20:29PM the BAC Secretariat updated electronically at PhilGEPS the Bid Notice Abstract with reference no. 9360597, it erroneously selected failed bid. The secretariat erroneously based on BAC Resolution No. SVP-28-2022 dated December 27, 2022, instead of BAC Resolution No. SVP-02-2023 dated January 9, 2023;

WHEREAS, notwithstanding of the error committed under "remarks," the period of submission remains compliant with the posting requirement prescribed under item IV.E of Annex H of the Revised Implementing Rules and Regulations of RA 9184;

WHEREAS, pursuant to item IV. E of Annex H of the 2016 Revised Implementing Rules and Regulations, states "*XXX For the following alternative methods, however, the BAC, through its Secretariat, shall post the procurement opportunity [e.g., Request for Quotation (RFQ) of Request for Proposal (RFP)] in the Philippine Government Electronic Procurement System (PhilGEPS) Website, the website of the procuring entity concerned, if available, and at any conspicuous place reserved for this purpose in the premises of the Procuring Entity for a period of at least three (3) calendar days XXX;*"

WHEREAS, the BAC Secretariat inquired with the Department of Budget and Management regarding the errors committed on the updating at the PhilGEPS and was advised to issue a BAC resolution on the errors committed;

WHEREAS, the BAC on February 1, 2023, conducted a special meeting and part of the agenda in other matters was the resolution of the errors committed at PhilGEPS.



WHEREAS, the BAC on February 1, 2023, conducted a special meeting and part of the agenda in other matters was the resolution of the errors committed at PhilGEPS. The BAC unanimously agreed to follow the suggestion of the Department of Budget and Management and requested for the issuance of BAC Resolution;

NOW THEREFORE, We, the Members of the PMO-Zamboanga Bids and Awards Committee, hereby RESOLVE as it is hereby RESOLVED:

That the BAC Secretariat inadvertently committed an error in the entries in the remarks and updating of the status at PhilGEPS for the procurement of One (1) Lot Supply of Manpower Tools/Equipment for the Siphoning/Desludging and Disposal of 12 Units Septic tank/Vault with an ABC of PHP964,815.16;

That the status for the procurement of One (1) Lot Supply of Manpower Tools/Equipment for the Siphoning/Desludging and Disposal of 12 Units Septic tank/Vault with an ABC of PHP964,815.16 is active and that the failed status appearing at PhilGEPS was an honest mistake committed by the BAC Secretariat and the subject procurement were all compliant with the Revised IRR of RA 9184.


ADOPTED this 1st day of February 2023 at the PPA, PMO-Zamboanga, Zamboanga City.




ARTHUR B. NOGAS
BAC Chairperson



ENGR. TASHMA H. ASID-MAADIL
BAC Vice-Chairperson



FRANCISCA CLARISSA P. DAGOY
BAC Member



JEZREL J. GESULGON
BAC Member
Services



ENGR. AISHAR Y. HADJIIRUL
BAC Provisional Member-Good &

entity. Please notify us immediately if you have received this by mistake and delete it from your system. The views, opinions, and other information expressed in this message are those of the sender and may not necessarily reflect the Agency's view. Finally, the Agency does not accept liability for any errors or omissions in the contents of this message and any damage caused by any virus, which arises as a result of e-mail transmission.

On Fri, Mar 17, 2023 at 4:50 PM Mark S. Revillas <msrevillas@ppa.com.ph> wrote:

Sir/Madam,

Good afternoon!

I am a member of the BAC Secretariat of PPA PMO Zamboanga, and I would like to inquire with your office regarding the error we have committed while updating our bid notice abstract on the PhilGEPS website with reference no. 9360597. To wit:

On January 28, 2023, at 20:29PM the secretariat inadvertently selected the failed bid button since we erroneously base the update on our earlier issued BAC Resolution dated December 27, 2022 (Failure of Bid), instead of the BAC Resolution dated January 9, 2023. Now, the status of our procurement project is failed. Notwithstanding the error committed in the updating at PhilGEPS, the BAC remains compliant with the procedure set forth in RA 9184 and its IRR.

The BAC Secretariat sought the advice of the Department of Budget and Management in Zamboanga City and was advised to prepare a BAC Resolution for the error committed in the PhilGEPS posting, which the secretariat prepared.

In this regard, I would like to respectfully request your advice if there is a guideline for this kind of incident and how we rectify the update in our online posting on the PhilGEPS website.

I would greatly appreciate your response to this inquiry. Thank you!

Best Regards,

PPA Disclaimer: This email and any files transmitted with it are confidential and intended solely for the use of the individual to whom they are addressed. If you have received this email in error or mistake please notify administrator@ppa.com.ph. You should not disseminate, distribute or copy this email and delete this email from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

PPA Disclaimer: This email and any files transmitted with it are confidential and intended solely for the use of the individual to whom they are addressed. If you have received this email in error or mistake please notify sysad@ppa.com.ph. You should not disseminate, distribute or copy this email and delete this email from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. "The information contained in this communication is intended solely for use of the individual or entity to whom it is addressed and other parties authorized to receive it. It may contain confidential or legally privileged communication. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking any action in reliance on the contents of this information is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by responding to this e-mail and then immediately delete it from your system. Opinions contained in this e-mail or any of its attachments do not necessarily reflect the opinions of the Agency."

Re: INQUIRY ON ERROR MADE IN POSTING

From: Agency Group (agency@ps-philgeps.gov.ph)

To: msrevillas@ppa.com.ph

Cc: jbcarrillo@ppa.com.ph; cvsuano@ppa.com.ph; fcpdagoy@ppa.com.ph

Date: Monday, March 20, 2023 at 01:20 PM GMT+8

Dear Sir and Madam,

We would like to inform you that we can no longer revise, update your bid notice on the system. As a matter of policy, we do not alter the data that are in the system except for those that were caused by a system error. For compliance purposes, you may post it on your agency's website and transparency seal.

If you have any other concerns, please contact us by email or call us at the following mobile numbers :



PHILGEPS CUSTOMER SERVICE

PHILGEPS OFFICE ADDRESS
5th flr, AAP Tower, 683 Aurora Blvd.,
New Manila, Quezon City, 1112

TEMPORARY MOBILE NUMBERS

SMART:	GLOBE:
09686396057	09455281919
09494703179	09165296429
09494703214	09650474136

EMAIL ADDRESSES

For Agency Concerns:
agency@ps-philgeps.gov.ph

For Supplier Concerns:
supplier@ps-philgeps.gov.ph
platinum@ps-philgeps.gov.ph

We'd like to hear about your experience with our team through this [link](#) so that we can enhance our services.

[EMAIL SUPPORT FEEDBACK FORM](#)

Sincerely,


PhilGEPS Agency Team
Customer Service Section, PhilGEPS Group

**PROCUREMENT SERVICE
- PHILGEPS**
5th floor, AAP tower, 683 Aurora Blvd.,
New Manila, Quezon City, Metro Manila
1109

email:
agency@ps-philgeps.gov.ph
websites:
www.philgeps.gov.ph

Disclaimer:

This message may contain confidential or privileged information and is intended for the recipient to whom it is originally addressed. If you are not the intended recipient, you may not use, copy, disclose, forward or distribute its content to any



Inquiry on Error Made in Posting

From: Vicente Baltazar, Jr. (vebaltazar@gppb.gov.ph)

To: jbcarrillo@ppa.com.ph

Cc: vebaltazar@gppb.gov.ph

Date: Thursday, April 13, 2023 at 10:56 AM GMT+8

Name : Jhoan B. Carrillo/ BACSec Zamboanga

Email : jbcarrillo@ppa.com.ph

Re : Inquiry on Error Made in Posting

This pertains to your query concerning the posting error made by the BAC Secretariat of PPA PMO Zamboanga in the bid notice abstract on the PhilGEPS website with reference no 9360597.

As for your request for advice or guidelines to rectify the error committed, kindly note that the Government Procurement Policy Board -Technical Support Office has no access to the administration of PhilGEPS. As such, it cannot fully assist you in the issue at hand.

For other follow up concerns or queries, kindly send your email message to gppb@gppb.gov.ph

We hope to have provided sufficient guidance on the matter. Note that our reply is based solely on the facts presented and circumstances presented in your email and on the evaluation of the GPPB-TSO Officer assigned to address the email queries of the day. The same may not be therefore, be applicable given different set of facts and circumstances, nor does it serve as the official position of the GPPB.

To help us in our constant endeavor to provide excellent public service, we would appreciate it if you shared your thoughts concerns and comments and suggestions through this brief customer feedback. In the question for which service is availed, choose **Email Queries**, feedback link below.

<http://tinyuri.com/GPPB-TSO-CSF>

Thank you

Legal and Research Division
GOVERNMENT PROCUREMENT POLICY BOARD-TECHNICAL SUPPORT OFFICE
2504 Raffles Corporate Center, F. Ortigas Jr. Road, Ortigas Center, Pasig City
Tel. No. (02) 7900-6741 to 44

PPA Disclaimer: This email and any files transmitted with it are confidential and intended solely for the use of the individual to whom they are addressed. If you have received this email in error or mistake please notify sysad@ppa.com.ph. You should not disseminate, distribute or copy this email and delete this email from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.