

**REQUEST FOR QUOTATION**

The Philippine Ports authority, Port Management Office of PMO-Panay/Guimaras (PPA, PMO-PNG) through its Bids and Awards Committee for the Procurement of Goods and Consultancy Services and for Engineering Projects will undertake an Alternative Method of Procurement through Small Value Procurement in accordance with Section 53.9 of the Revised Implementing Rules and Regulations of R.A. 9184.

Name of Project : Supply, Delivery and Installation of IP PBX System Devices and Peripherals To include cabling, configuration, termination, piping works and programming of 48 units and accessories
See Technical Specifications

Approved Budget for the Contract : ₱975,280.00

Deadline of Submission : November 8, 2023

Requirements:

- Please quote your best quotation in line with the attached specifications. (Annex A) Unless otherwise the Supplier has a registry file at PPA, PMO-PNG all quotations must be accompanied with the following documents:
 - Mayor's/Business Permit
 - PhilGeps Registration Certificate
 - BIR Certificate of Registration (Form 2303)
 - DTI or SEC Registration
- All quotations shall be inclusive of all cost/s and applicable taxes and shall be valid for a period of thirty (30) calendar days from the deadline of submission of quotations.
- Quotations received in excess of the Approved Budget for the Contract (ABC) shall be automatically rejected.
- Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the signatory or his/her duly authorized representative.
- Quotations shall be submitted to the BAC-Secretariat, PPA, PMO-Panay/Guimaras, Administration Bldg., Bldg., Brgy. Loboc, La Paz, Iloilo City 5000 or email at supplyunit.ppa.pmpng@gmail.com

For further information, please refer to:

The BAC Secretariat, PPA, PMO-Panay/Guimaras
Telephone Nos.: (033) 3377791 to 93 loc. 102

Very truly yours,

ENGR. JERRY D. ABELLO

Chairperson, Bids and Awards Committee

Date of Posting: October 30 to November 7, 2023

Reference

Quotation No.: 23-206

RIV No.: _____

PR No.: _____

PRICE QUOTATION FORM

Company/Trader's Name : _____

Address : _____

ITEM NO.	ITEM & DESCRIPTION	(Pls. Specify Brand)	QTY.	UNIT	UNIT PRICE	TOTAL
	Supply, Delivery and Installation of IP PBX System Devices and Peripherals To include cabling, configuration, termination, piping works and programming of 48 units and accessories		1	lot		
	Technical Specifications:					
1	IP PBX Main Systems Unit Extension Users: 100 Concurrent Calls: 30 (Max) Supported Module: 4FXS/ 4FXO/2FXOS/2GSM/4GSM/2WCDMA/4WCDMA Supported Maximum Module : 2 Voicemail/Recording:150Hrs (internal storage) SDRAM: 1GB DDR3 Storage: 16GB SD Card (Supplier must have a Certificate of Authorized Dealer)		1	unit		
2	IP PHONE Screen: 128x48 dot-matrix with backlight HD Handset: RJ9 Network Interfaces: Network: 10/100Mbps(POE Enabled (H81P)) PC: 10/100Mbps (Bridged to network) HD Hands-free Speaker: 0~7KHz HD Hands-free Microphone: 0~7KHz RJ9 Phone port: Handset, Headset Keypad: (31 keys) 4 Soft-keys 7 Function keys 4 Navigation keys + 1 OK key 12 Standard Phone Digits keys 2 Volume Control keys, Up/Down 1 Hands-free key Power Input: DC 5V/0.6A Power Consumption: Idle: 1.3W Peak: 4.3W Working Temperature: 0~40°C Working Humidity: 10~65% Installation: Desktop, Wall-mount (Supplier must have a Certificate of Authorized Dealer)		48	unit		

3	OPERATOR PHONE Screen: 2.8 inch (320x240) LCD color-screen HD Handset: RJ9 Network Interfaces: Network: 10/100Mbps(POE Enabled) PC: 10/100Mbps (Bridged to network) HD Hands-free Speaker: 0~7KHz HD Hands-free Microphone: 0~7KHz RJ9 Phone port: Handset, Headset Keypad (39 keys): 8 DSS key with tri-color LED 4 Soft-keys 7 Function keys 4 Navigation keys + 1 OK key 12 Standard Phone Digits keys 2 Volume Control keys, Up/Down 1 Hands-free key Power Input: DC 5V/0.6A Power Consumption: Idle: 1.3W Peak: 4.3W Working Temperature: 0~40°C Working Humidity: 10~65% Installation: Desktop, Wall-mount (Supplier must have a Certificate of Authorized Dealer)		1	unit		
4	Module for IP PBX *an interface that connects to a trunk line, like the one from your service provider *It receives ringing voltage and battery from FXS devices. FXO interfaces are used to connect your PBX to the PSTN. *4 RJ11 Ports (Supplier must have a Certificate of Authorized Dealer)		1	unit		
5	16 Ports POE Switch		4	unit		
Supply of Roughing ins Materials						
6	CAT6 Pure Copper wire 305m/roll		12	rolls		
7	RJ45 connector 100pcs/box		3	sets		
8	42UFloor Mounted Data Cabinet		1	unit		
9	Data Cabinet Cable Manager		5	units		
10	Power Distribution Unit (PDU) 8 gang		1	unit		
11	UPS, 2000VA		2	unit		
12	OTHER ROUGH-INS MATERIALS: PVC MOULDINGS, PVC PIPES AND FITTINGS, FLEXIBLE HOSE, ADHESIVE, TOX WITH SCREWS, TELEPHONE MODULAR BOX, CIRCUIT BREAKER, EXTENSION CORDS, UTILITY BOX AND OTHER MATERILAS NEEDED FOR THE INSTALLATION		1	lot		

13	Labor for the installation, configuration, termination and programming of IP PBX System *(With Network Diagram signed by Electronics Engineer. *With Site Survey Inspection Certificate *Supplier must have a Certificate of Authorized Dealer *With Certificate of After-sales Support for the Network system, indicating the support, on-line, telephone support, on-call and on-site *Must have a local store/office(within the Iloilo) with Valid Mayor's/Business Permit for fast after sales service *(Installation, Programming and Configuration, License PECE, License ECT/ECE)		1	lot		
DELIVERY:	Shall be completed within <u>30</u> days from receipt of Purchase Order.		GRAND TOTAL :			

The above quoted prices are inclusive of all costs and applicable taxes.

	VAT
	NON VAT

Signature Over Printed Name

Mobile/Telephone No.

Date