

REQUEST FOR QUOTATION (RFQ)

NAME OF PROJECT

Supply, Delivery and Installation and Configuration of IP PABX system includes mounting of wall Cabinet and power up / main system and network

rehabilitation.

LOCATION

Port of Ozamiz, Ozamiz City, Misamis

Occidental

SPECIFICATIONS

See attached

APPROVED BUDGET FOR

Nine Hundred Fifty Two Thousand Three

THE CONTRACT

Hundred Fourteen Pesos (P 952,314.00)

DROPPING OF RFQ

July 29, 2022 @ 10: a.m.

OPENING OF RFQ

July 29, 2021, 2:00 PM

Please quote your best quotation in line with the attached specifications. Suppliers are required to submit their valid current Mayor's/Business Permit, valid DTI/SEC/CDA, Certificate of PHILGepS Registration, Income Business Tax Returns and Omnibus Sworn Statement. Bids higher than the Approved Budget for the Contract (ABC) shall be automatically disqualified at the bid Opening.

.

Bid Documents will be available only to prospective bidders upon payment of a non-refundable amount of **One Thousand Pesos Only (P1,000.00)** cash, inclusive of 12% VAT to the Cashier of PMO Ozamiz located at Administrative Bldg., Port Area, Ozamiz City.

All quotations shall be duly signed and submitted to the Administrative Division, PPA PMO Misamis Occidental/Ozamiz, Port Area Ozamiz City. Quotations/documents sent through email address will not be considered.

The PPA, PMO Misamis Occidental/Ozamiz reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without hereby incurring any liablity to the affected bidder or bidders.

MA. ESTELA SOTERA K. CARPIO BAC Chairperson Bids & Awards Committee PPA PMO Misamis Occidental / Ozamiz

Date of Publication:	
PHILGeps, PPA Website	

Delivery Period: Within forty-five (45) calendar days from the effectivity date indicated in the Notice to Proceed.

SPECIFICATION OF IP-PBX System

- 1- unit IP Based Communication System (8FXO ports/ 8 FXS ports / support 5000 users/ Asterisk Based IP PBX)
- 1- unit FXS Gateway with 24 telephones FXS ports (1 x Gigabit auto sensing Network ports)
- ➤ 1- unit FXS Gateway with 16 telephones FXS ports (1 x Gigabit auto sensing network)
- ➤ 1- unit 4 line, 4 SIP Accounts, dual Gigabits ports PoE
- > 2- units 2 lines, 2 SIP Accounts, PoE
- 12- pcs LCD Corded Caller ID Telephone with speaker home office wired landline telephone set phone caller
- 2- units 1-Port 10/100/1000 Ehternet to VDSL2 Converter
- I- pc 12, Unmanaged, 4 100M PoE port, 1 100 uplink port, 802 3af/at, PoE power budget 58 W
- 2- pcs Input Voltage Range: 140-300 vac, Output Voltage Range: 200-255 +/-5vac, Output frequency: 50 Hz/60Hz (DC Mode), Wattage: 725 W
- 2- pcs 6U Data Cabinet
- 2-pcs Expansion Module-Features 40 Fully programmable buttons for GX3240, GXP2140 and GXP2170
- 1- pc 2sim ports / GSM frequency ** 850/900/1800/1900 Mhz: supports SIP and IAX2