

**PMO-ZAMBOANGA**

**REQUEST FOR QUOTATION**

1. The Philippine Ports Authority, Port Management Office – Zamboanga (PPA, PMO-Zamboanga), through its Bids and Awards Committee for the Procurement of Goods and Services (BAC-PG), will undertake Procurement through Small Value Procurement for the One (1) Lot Supply of Labor and Materials for the installation of Two (2) Sets Automatic Identification System (AIS) including Testing & Commissioning at the PSD-Harbor, Port of Zamboanga in accordance with Section 53.9 of the Revised Implementing Rules and Regulations of Republic Act no. 9184.

Scope of Work: One (1) Lot Supply of Labor and Materials for the installation of Two (2) Sets Automatic Identification System (AIS) including Testing & Commissioning with complete set of materials, accessories and peripherals, as follows:

**Materials:**

**2 sets**                      **Automatic Identification System** (Refer to Price Quotation

Form for specifications) with the following accessories:

- Power/Serial Combined Cable
- AIS Viewer Software
- Whip Antenna
- Interface Cable
- Standard Installation Materials, Accessories, Spare Parts, operative from 12/24VDC
- High Quality Regulated Power Supply (12-24VDC)

**Peripherals:**

**2 units/sets each of the following:**

- Monitor, TV 43", Flat Screen, LED with HDMI Connections, Full HD
- Four Loop Antenna
- Laptop:
  - Processor: Intel Core i3-5010U DC 2.1 GHz
  - RAM: 4GB RAM,
  - ROM: 1TB HDD
  - Graphics: ATI EXO PRO R5 M330 2 GB VRAM,
  - Display: 15.6" WD Display
  - OS: Windows 8.1
  - Others: WIFI + Bluetooth, DVD Drive, 4 Cell Battery
- Desktop:
  - Processor: Intel Core i3 4170 (3.7ghz, 1150),
  - Graphics 2GB
  - RAM: 4GB DDR3 RAM
  - Case: Case w/ 600 power supply
  - ROM: 1TB Seagate HDD (SATA) w/ Windows 8.1 OS
  - Others: High Quality Keyboard & mouse w/ pad
- Uninterruptible Power Supply, 650VA with the following technical specifications or its equivalent:
  - Output
  - Output Power Capacity                      325 Watts/650 VA

Max Configurable Power	325 Watts/650 VA
Normal Output Voltage	230V
Waveform Type	Stepped approximation to A sinewave
Output Connections	(2-3) Universal Receptacle (Battery Backup)
Transfer Time	4ms typical: 6ms max.
<u>Input</u>	
Nominal Input Voltage	230V
Input Frequency	50/60 Hz+/-3 Hz
Input Connections	NEMA 5-15P
Operations	151-299V
Cord Length	1.5 meters
Input voltage range for main Operations	180-270V
Type of Input Protection Req.	gL fuse
Maximum Input Current	5.0A
Input Power Factor at Full Load	0.5

- HDMI Cable
- Various plumbing/hardware supplies materials as follows:

<u>Qty.</u>	<u>Units</u>	<u>Particulars</u>
4	Lgt.	G.I. Pipe, 2 ½ inches dia. S-40, 6m
2	Lgt.	G.I. Pipe, 2 inches dia, S-40
1	Roll	G.I. Tie Wire, 3/16 #16, 200m #12
25	Pc.	PVC Clamp, 20mm
10	Pc.	PVC Pipe, 20mm
6	Lgt.	Plain Round Bar
18	Pc.	Turnbuckle, 8 inches long

**NOTE:** The above-stated materials are minimum requirement only. Any other additional expenses of the same shall be borne by the supplier.

- a. Delivery Period: Within Sixty (60) Calendar Days upon receipt of applicable Purchase Order (PO)
  - b. PR Reference No.: 2016-475
  - c. Approved Budget for the Contract (ABC) - Php470,000.00
2. The duly accomplished Price Quotation Form (Annex "A") and the certified true copy of the following documents must be placed in a sealed envelope and submitted in accordance with Item No. 3 hereof:
    1. Duly Accomplished Pre-Qualification State Form
    2. Valid Mayor's Permit
    3. Certificate of Registration of Business Name (DTI/SEC or CDA)
    4. BIR- VAT or Non-Vat Registration Certificate
    5. Latest BIR Income Tax Return
    6. Certificate of Philgeps Registration

Non-submission of any of the above documentary requirements shall be a ground for disqualification.

The supplier(s) who had submitted already their eligibility documents may submit, in lieu of the above-stated documents, a "Certification" issued by the BAC-PG Chairperson, together with any lacking documentary requirement and


the Accomplished Price Quotation Form – Annex “A” (sealed in a separate envelope).

3. All quotations may be submitted by mail, courier or hand carried not later than 2:00 p.m. of December 5, 2016 to the Supply Unit, 2<sup>nd</sup> Floor, Administration Building, Philippine Ports Authority, PMO – Zamboanga, R. T. Lim Blvd., Port Area, Zamboanga City, addressed to:

**MR. EMILIANO M. ESPARAGUERA JR.**

Chairperson, BAC – PG  
Philippine Ports Authority  
PMO – Zamboanga  
Port Area, Zamboanga City

4. Quotations submitted after the deadline shall **NOT** be accepted; Price quotation in excess of the ABC shall be automatically disqualified.
5. All quotations shall be valid for a period of 30 calendar days from the deadline of submission of quotations and shall be inclusive of the applicable 12% Value Added Tax (VAT).
6. The procurement shall be awarded to the supplier determined to have submitted the complete documentary requirements with the lowest calculated and responsive quotation.
7. Warranty on items delivered shall be for a minimum of One (1) year from date of acceptance by the end-user.
8. The Supplier shall provide technology transfer/in-depth technical training to PPA, PMO-Zamboanga Port Services Division on the use and operation of the equipment free of charge.
9. The Supplier shall provide on call support through landline/mobile phones for trouble shooting purposes.
10. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the supplier or his/her duly authorized representative.
11. Prospective bidder shall be a duly licensed Filipino Citizen/Sole Proprietorship, Partnership, Corporation, Cooperative duly organized under the laws of the Philippines or a joint venture with at least sixty percent (60%) interest or outstanding capital stock belonging to Filipino Citizens.
12. PPA, PMO – Zamboanga reserves the right to reject any or all quotations at any time prior to award of the procurement without thereby incurring any liability to the affected proponents or to waive any minor defects therein and accept quotation as may be considered advantageous to the government.
13. For further inquiries, you may contact **MS. DARWISA J. LIPAYGO, Head, BAC - PG Secretariat**, Tel. No. (062) 991-2037 local 111.

  
**FRANCISCA CLARISSA P. DAGOY**  
Vice-Chairperson, BAC - PG

Date of Publication: PPA & PhilGEPS Websites: Nov. 25-Dec.2, 2016  
Posting at PPAs Conspicuous Places: Nov. 25-Dec. 2, 2016